

# + DESIGNER BRICK

-		Stake.		
-26Z -	1.50	QON-		
1.0		See See		
$\mathbf{r}_{ell}$	1.1		-	-
		Wight -	al of	98
5. T.		18-5	and and the owner of	
			A.S	

	-		
	1000		
and the second se	1000		
In station of the local division in which the local division in which the local division in the local division	ALC: NOTE: N		
and the second s	Contraction of the local division of the loc		
ALC: NOT A DESCRIPTION OF A DESCRIPTIONO	100 - CTETA		
Second and a second second	CONTRACTOR OF		
¥73 89.12 1119	A CONTRACTOR OF		
and the second se			
Street, or other	and the second sec	-	
A DECEMBER OF THE R.	and the second second		
Contraction of the local division of the loc	and the second		
A VERSENAL DE LE COMPANY	THE R COMMON	And in case of	
the second se	THE R.LEWIS	Contract of the local division of the local	
The second se	THE R. LEWIS CO., LANSING MICH.	Contraction of	
a second s	THE R. LEWIS CO., LANSING MICH.	and the second s	
and the second se	Concession of the local division of the loca	of the Local Division in which the	
1.0.00			
1.8	2		
A DESCRIPTION OF THE OWNER.	And Description of the		- 11
a spin and the	COLUMN PROPERTY.	and the second s	
the second se	COLUMN TWO IS NOT	Barren and and	
and the second second	Description of the local division of the loc		
A REAL PROPERTY.	THE OWNER WATER	Concession of the local division of the loca	
A DESCRIPTION OF A DESC	COLUMN ADDRESS	-	
A REAL PROPERTY OF THE OWNER			
	And in case of	-	
CONTRACTOR OF LOT	and the second second		
ALCONTRACTOR DUCK		Concession of the local division of the loca	
and the second se	and the second		
in the second second second	STREET, STREET		
11 - + - C	STREET, STREET,	Conception of the local division of the loca	
The second se	STREET, STREET	Concession of	
- Contraction of the Area	COLUMN TWO IS NOT	And in case of the	
and a second sec	and the second second	and the second division of the	
I DISCOUTE COMPANY		and the owner of the local division of the l	
A DECEMBER OF A	States and and	and the second s	
and the second se			
The second second		-	100
and the second second	TRADUCT COMMON	Contract of the local division of the	
The second s	TRACTOR OF THE OWNER	Contractory of the local division of the loc	
A DESCRIPTION OF MANY	STREET, SQUARE,		
and the second se	and the second second	And in case of the local division of the loc	
the second se	Concession in which the real of the local division in which the local division in the lo	Concession of the local division of the loca	
A DESCRIPTION OF THE OWNER	Statistics of the local division in which the local division in th	and the other division of the local division	
And the second s	And in case of the local division of the loc	the second se	
and the second s			
and the owner water w	100		
PROPERTY AND INCOME.	THE R. LEWIS CO., LANSING MICH.	and the second se	
	The Party number of the Pa	and the second se	
and the second s	Station of Concession, name	Statistics and its	
Statement of Street, or other	Station of Lot o	and the owned where the owned w	
	and the second second	and the second division of the second divisio	
	And Projections	STREET, STREET	
Contra Co	ALC: NO. OF	ALC: NO DESCRIPTION	1.00
100 Mar	ALL DESCRIPTION OF	STATISTICS.	100
10000	Section Section		70.44
No.	and the local	Sector Sector	14 10 1
and the second s	1941 C (alc)	12月1日日 12日	ACC.
200	10.00 H. O.C.		1.0
500	ALC: NOTE: NOT	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	COMPANY AND A	A DECK OF A DECK	100 Car

## A BEAUTIFULLY NATURAL PRODUCT

The appeal of concrete masonry is the natural characteristics and variation of aggregates featured within the mix. Similar to the features of real stone, our concrete bricks will vary from batch to batch, with natural variation in colours, tone, texture and other characteristics. So when choosing Firth concrete bricks, please expect colour hue variations, and regional differences due to locally sourced raw materials. It's all part of a beautifully natural product.

We advise viewing a number of full sized sample bricks before making your final decision. Contact your local Firth office, they'll be happy to help, call **0800 FIRTH 1.** 

#### +DESIGNER BRICK

- 4 WHY FIRTH DESIGNER BRICK?
- 6 FOCUS® BRICK
- 10 STRATA BRICK
- 14 DEVONSTONE®
- 18 MANORSTONE®
- 22 BAGGED + PAINTED BRICK
- 23 DESIGNER BRICK RANGE

#### +MORTAR

25 MORTAR + LAYOUT DESIGN

#### **+TECHNICAL TIPS**

- 26 BUILDING WITH BRICK
- 27 CARING FOR DESIGNER BRICK

#### MADE TO ORDER



If you can't find a colour or design mix that you're looking for, please contact your local stockist or Firth Sales representative. For Made To Order stock, minimum order quantities will apply.



**Cover page image:** Strata Brick: Antique Blend Dricon® Mortar: Antique White Laid: Stretcher Bond

This page image: Manorstone®: Antique Blend Dricon® Mortar: Natural Laid: Stretcher Bond

# WHY FIRTH DESIGNER BRICK?



#### SUSTAINABILITY

All Firth bricks are Red List free and have Declare certification. Declare is like a nutrition label for the building industry that clearly states what ingredients make up a product. It is designed to help shape a greener, healthier environment.





#### WEATHER TIGHT

Cool in summer, warm in winter, Firth brick homes are constructed using a cavity design, which is an effective way to avoid leak related damage and keep your home healthy and dry.



#### TRUE COLOUR

Solid colour pigment throughout the brick helps reduce the visibility of any chips that may occur in laying and through its life cycle.

Manorstone® Antique Blend Dricon® Mortar: Natural Laid: Stretcher Bond

\*Source: NZ Timber Design Society Weather Tightness - A Review of Exterior Wall Assemblies \*\*Source: BRANZ cladding costs over a lifetime, Apr 2015



#### DURABLE

Firth bricks are made from concrete. Their strength and stability gives you peace of mind. Brick controls moisture more effectively than any other building product\*, protecting you against harsh weather conditions, moisture, rot, mould or pests. Firth bricks are proven to last the test of time, they will be around for years to come and all bricks come with a manufacturer's warranty.



#### LOW MAINTENANCE

Firth bricks stay looking great with easy care, they do not rot or require paint. Brick is expected to last twice as long as most weatherboard products\*\*.





#### DESIGN FLEXIBILITY

With an inspiring range of on-trend colour tones, sizes, laying options and finishes. Clad your entire home or create feature walls.

### IX

#### NOISE CONTROL

Concrete brick has excellent acoustic ratings and it reflects noise more effectively than many other building materials.

TECHNICAL SUPPORT Our technical team are here to help every step of the way CALL 0800 FIRTH 1



3

7

## **FOCUS® BRICK**

5

٠

61

SMALLER STYLE BRICK FOR A CONTEMPORARY LOOK



#### BRICK SIZE



**DIMENSIONS** 230 x 90 x 76mm

**UNITS PER M<sup>2</sup>** 42 (70 Series) 48 (90 Series)


Note: Colour tones and face textures may vary due to locally sourced materials. Colours depicted are subject to the limitations of colour printing process and may vary from actual colour under natural light.

#### FOCUS<sup>®</sup> BRICK COLOUR RANGE



1 Premium White


2 Urban Grey (North Island only)



Focus® Brick: Premium White Dricon® Mortar: Pumice Laid: Stretcher Bond Focus® Brick: Urban Grey Dricon® Mortar: Charcoal Laid: Stretcher Bond

#### COLOURS + MORTAR





TIP - Choose a matching or contrasting mortar colour to personalise the look of your home

#### **DESIGN CUES**

- Concrete brick can be adopted as a feature in the home, mixed with weatherboard cladding to provide a visual break from the neutral horizontal lines.
- Enhance the architectural dimensions of your home with a traditional, smaller size brick for a modern and visually striking home.
- Create an understated natural look with a light colour palette to blend effortlessly with the surrounding landscape.
- Focus designer bricks can be laid as a *70 Series* block for a chunky appearance, or rotated 90°, with frog to rear, as a *90 Series* block for a slimline look.

- 1 Colour: Premium White Mortar: Premium White
- 2 Colour: Urban Grey Mortar: Charcoal



# STRATA BRICK

LONG, LEAN LINES - OUR MOST FASHIONABLY MODERN BRICK.





#### BRICK SIZE



**DIMENSIONS** 290 x 70 x 75mm

### **UNITS PER M<sup>2</sup>** 39

Note: Colour tones and face textures may vary due to locally sourced materials. Colours depicted are subject to the limitations of colour printing process and may vary from actual colour under natural light.

#### STRATA BRICK COLOUR RANGE



1 Antique Blend

2 Urban Grey

3 Serenity (South Island only)

4 Graphite (South Island only)

5 Premium White (North Island only)






Strata Brick: Premium White Dricon® Mortar: Premium White Laid: Stretcher Bond

> Strata Brick: Antique Blend Dricon® Mortar: Antique White Laid: Stretcher Bond

#### COLOURS + MORTAR



- 1 Colour: Antique Blend Mortar: Pumice
- 2 Colour: Urban Grey Mortar: Charcoal
- 3 Colour: Serenity Mortar: Pumice
- 4 Colour: Graphite (South Island only) Mortar: Charcoal
- 5 Colour: Premium White Mortar: Premium White

#### **DESIGN CUES**

- The colour and cut-rock texture of modern concrete brick delivers a distinctive and durable look when partnered with natural timber cladding.
- Warm natural tones and the welcoming stone feel of Firth brick evokes a feeling of calm and strength outside, for those inside.
- Embraced within a thoughtfully designed greenscape, the earthy tones of brick allows a new home to nuzzle naturally into its new environment.
- Longer, leaner lines in architecture elicit a contemporary horizontal aesthetic. It lowers the sense of height and lengthens the form in front of you.



# DEVONSTONE®

200

FIRTH'S MOST POPULAR BRICK PROVIDES A NATURAL LOOK TO YOUR DESIGN



#### BRICK SIZE



**DIMENSIONS** 290 x 160 x 70mm

#### UNITS PER M<sup>2</sup>

20


Note: Colour tones and face textures may vary due to locally sourced materials. Colours depicted are subject to the limitations of colour printing process and may vary from actual colour under natural light.

#### **DEVONSTONE® COLOUR RANGE**



- 1 Premium White (North Island only)
- 2 Urban Grey
- 3 Antique Blend
- 4 Tranquility
- 5 Graphite (South Island only)

Devonstone<sup>®</sup>: Tranquility Rumbled Dricon<sup>®</sup> Mortar: Premium White Laid: Stretcher Bond



**COLOURS + MORTAR** 



- 1 Colour: Premium White Mortar: Premium White
- 2 Colour: Urban Grey Mortar: Charcoal
- 3 Colour: Antique Blend Mortar: Pumice
- 4 Colour: Tranquility (Rumbled) Mortar: Tranquility
- 5 Colour: Graphite (South Island only) Mortar: Buff



Devonstone<sup>®</sup>: Antique Blend Dricon® Mortar: Natural Laid: Stack Bond

#### **DESIGN CUES**

- For a traditional look, keep your colour palette simple and choose colours that complement each element of the building ie. roof, joinery, gutters, driveway.
- Stack bonded concrete bricks can add a real sense of architectural design to an area where you want to create a strong decorative statement, interior or exterior.
- Selecting either a complementary or contrasting coloured mortar from Dricon® will further enhance the appearance of Devonstone® built homes. See page 24 for options.



Manorstone® Rumbled: Tranquility Dricon® Mortar: Tranquility Laid: Stretcher Bond

# MANORSTONE®

the second

LARGE CONCRETE BRICK RESEMBLING NATURAL STONE



#### BRICK SIZE



**DIMENSIONS** 390 x 190 x 90mm

**UNITS PER M<sup>2</sup>** 12.5

#### MTO Made To Order


Note: Colour tones and face textures may vary due to locally sourced materials. Colours depicted are subject to the limitations of colour printing process and may vary from actual colour under natural light.

#### MANORSTONE® COLOUR RANGE



- 1 Premium White (North Island only)
- 2 Urban Grey
- 3 Antique Blend
- 4 Tranquility
- 5 Graphite (South Island only)

Manorstone®: Premium White Dricon® Mortar: Natural Laid: Stretcher Bond Manorstone® Rumbled: Tranquility Dricon® Mortar: Matakana Cream Laid: Stretcher Bond



#### COLOURS + MORTAR



- 1 Colour: Premium White Mortar: Premium White
- 2 Colour: Urban Grey Mortar: Natural
- **3** Colour: Antique Blend (Rumbled) Mortar: Antique White
- 4 Colour: Tranquility Mortar: Pumice
- 5 Colour: Graphite (South Island only) Mortar: Charcoal

#### **DESIGN CUES**


- Utilise a range of complementary cladding types to add dimension to a building project. Unpainted, stack bonded concrete block will draw attention to an area and express its strength.
- Downlighting creates depth to your finish, enhancing/highlighting the texture and design of the brick.
- A natural stone coloured brick works beautifully with the features of your garden, acting as a neutral canvas for the landscape elements to shine.
- Raked mortar joint is recommended for interior use only to prevent the creation of efflorescence through water pooling. See page 25 for options.

## BAGGED -PAINTED BRICK

Create an on-trend finish for your bricks that will highlight the contours and texture of the bricks and mortar joints, with a splash of colour to match your design. A smooth surface, or an uneven earthy surface - choose the look you desire.

> TIP: Talk to your professional to define the look and application you want.

### **DESIGNER BRICK RANGE**



The appeal of concrete masonry is the natural characteristics and variation of aggregates featured within the mix. Similar to the features of real stone, our concrete bricks will vary from batch to batch, with natural variation in colours, tone, texture and other characteristics. So when choosing Firth concrete bricks, please expect colour hue variations, and regional differences due to locally sourced raw materials. It's all part of a beautifully natural product. We advise viewing a number of full sized sample bricks before making your final decision. Contact your local Firth office, they'll be happy to help, call **0800 FIRTH 1.** 

### PERSONALISE YOUR DESIGN WITH A COMPLEMENTARY OR CONTRASTING DRICON® COLOURED MORTAR



#### **DRICON® COLOURED MORTAR**

Coloured mortar joints can further transform your design. Choose from the comprehensive range of Dricon<sup>®</sup> mortar colours which have been designed to complement the Designer Brick Series range.

Premium White	Antique White	Pumice	Natural	Sandy Grey	Cream	Antique Cream	Matakana Cream
Hinuera	Buff	Serenity	Light Brown	Dark Brown	Charcoal	Black	Jet Black



#### **DRICON® ARCHITECTURAL MORTAR**

The Dricon® Architectural Masonry Mortars have been specifically created to be water resistant.




**Note:** Colour tones and face textures may vary due to locally sourced materials. Colours depicted are subject to the limitations of colour printing process and may vary from actual colour under natural light.

Different mortar colour can dramatically change the look of your cladding. Below is Manorstone® Antique Blend designer brick in a stack bond layout with three different mortar colours.



Dricon<sup>®</sup> Premium White



Dricon<sup>®</sup> Charcoal



Dricon<sup>®</sup> Natural

#### **ONLINE TOOLS**




Our **Masonry Veneers Planner** is a handy online tool that lets you choose your preferred style and colour of brick and match it with your choice of coloured mortar. Visit **firth.co.nz/resources/planners-andcalculators/** for more.

#### **MORTAR JOINTS**

Once you have selected your colour you can select the style for the mortar joint - concave/rolled, flush or raked - each of these will alter the architectural appearance of the mortar joint.

For more detailed information and to gain best results from Dricon<sup>®</sup> mortars, download a copy of the Dricon<sup>®</sup> brochure at **www.firth.co.nz/resources/brochures/** 



#### LAYOUT


Different layouts can transform the look and feel of the entire design. Create vertical clean straight lines with the stack bond design or take on a more traditional look with the stretcher bond design.

#### Stack Bond

Stack bond is outside the scope of NZS4229 and NZS3604 and will require specific engineer's design.

10 Series Veneer stack bonded construction guide is available from the NZCMA website **nzcma.org.nz** in the veneers section.

#### Stretcher Bond



Stretcher bond is also known as running bond and is the traditional method of masonry construction.

#### CONSTRUCTION

#### Firth control joint (alternative slip joint)

Control joints controlling wall movements can be achieved by providing a bond break between blocks and mortar at the specified locations.

#### In Joint Reinforcing

A guide for the correct installation of In Joint Reinforcing for stack bond masonry can be found on the NZCMA website nzcma.org.nz/masonry-manual.aspx

#### **Two Storey Design**

A guide for the specific design for two storey applications can be found on the Firth website www.firth.co.nz/resources/technical-documents called **Firth Two Storey Brick Veneer Solutions**.


#### BRICK TOLERANCES AND AESTHETIC APPEARANCE

It is possible for a brick veneer to be Building Code compliant but not have the visual look that reflects the skills of an experienced bricklayer. This is referred to as 'workmanship quality'.

It is important to discuss with your bricklayer the aesthetic look you are hoping to achieve with your brick veneer and if possible, include them in your selection process.

#### **COLOUR VARIATION**

TIP: To ensure a consistent colour finish, Firth recommends purchasing your masonry from one location, preferably from the same batch, as some colour variations do occur due to natural variance in raw materials. When installing masonry, mix and match units from multiple pallets to balance any colour variation.



#### HONING GREY MASONRY

If deciding to hone ordinary grey masonry walls, when constructed, it's likely there will be colour variation between units. This variation can result in overall colour variation across the wall, which becomes enhanced, when honed and sealed.

#### **VIEWING DISTANCE**

Due to the nature of bricks no two bricks are the same and no brick is perfect when examined close-up. ASTMC90 has been adopted as the industry standard for viewing brickwork - it states that 'for exposed wall construction chips and imperfections shall not be evident when viewed from a distance of not less than 6.1m in diffused light'.

#### RESOURCES

For further resources please refer to:

BBFNZ Best Practise Guide at http://bbfnz.co.nz/building-with-brick/ brick-veneer-best-practice-guide/

Or visit the Firth website www.firth.co.nz/resources/technicaldocuments/ for the following:

- Firth Brick Veneer Technical Guide
- Firth Architectural Masonry Best Practice Guide
- Firth Two Storey Brick Veneer Solutions

#### GENERAL

Customers should ensure that all delivered products are acceptable, and any concerns about products are notified to Firth prior to laying. All warranty claims should be made prior to the product being laid.

### **CARING FOR DESIGNER BRICK**

#### EFFLORESCENCE

Efflorescence is a natural phenomenon experienced to some degree by all concrete products and is to be anticipated on any job. It is a deposit of white salts carried to the surface of the masonry by water, and happens most commonly when the brick and mortar are exposed to moisture. Efflorescence will likely continue to occur until the moisture source is stopped, usually by sealing. Efflorescence can calcify with time and become difficult to remove. Efflorescence is not a material defect, but rather a naturally occurring issue common to all forms of concrete masonry. While there are ways to minimise the risk and visual impact of efflorescence, Firth is unable to prevent or control this occurrence.

#### **TRADE TIPS**

#### THERE ARE SOME EASY WAYS YOU CAN MINIMISE THE RISK OF EFFLORESCENCE:

- If you receive your concrete masonry products and it's going to be a few weeks before you install them, unwrap the pallet and if possible store them in a covered, dry place so they don't get wet.
- 2 During the construction process protect masonry walls from moisture and wet weather.
- **3** Once construction is completed (or during construction in some cases) allow walls to dry and then seal them with a suitable sealer (subject to the manufacturer's specification).
- **4** Garden walls or walls not protected by a roof will need to be waterproofed at the top with a suitable waterproofing system.

#### WHAT CAN YOU DO TO MINIMISE THE VISUAL IMPACT OF EFFLORESCENCE?

If efflorescence does occur it should be removed immediately as if left, it is likely to calcify and will become difficult to remove. Some helpful tips include:

- 1 Remove the efflorescence immediately after it occurs. It should be scrubbed off with a stiff brush whilst it is still in its soft powdered form.
- 2 If required, treat the surface with a specific masonry cleaning product, Firth recommends Dricon<sup>®</sup> Concrete Treatment. Always trial a small, less visible area first to determine if you are getting the result that you want as these products can change the appearance of the surface.
- **3** If required, treat the surface with a mechanical cleaning process such as light sanding, polishing or grinding. Always trial a small less visible area first to determine if you are getting the result that you want as these processes will change the appearance of the surface.
- 4 Seal the wall as soon as possible with a suitable sealer to prevent moisture getting in. Note: garden walls or walls not protected by a roof will need to be waterproofed at the top with a suitable waterproofing system.
- 5 Firth strongly recommends engaging a professional contractor to provide advice and offer cleaning, sealing and waterproofing solutions.



#### CLEANING

We recommend an annual inspection to check for requirement of cleaning. One of the reasons that concrete masonry is a popular choice, is its proven performance and durability. Concrete bricks and blocks have been designed for external use so they are well suited to stand up to the elements. Usually any stains or marks can be removed with a stiff brush, water and detergent or low pressure water washing (take care not to damage masonry and mortar with pressure washing). If you are particularly worried about stains occurring, we recommend sealing your concrete masonry walls with a suitable sealer.

#### SEALING HELPS MINIMISE EFFLORESCENCE AND MOULD GROWTH

Firth recommends sealing all masonry walls as soon as practical to minimise efflorescence and reduce mould growth. Suitable products should be selected to pre-clean the surface if required; repel water and minimise efflorescence and mould growth and, if required, provide a barrier to graffiti. Some sealers will enrich the depth of the masonry colour. Refer to your sealer manufacturer's instructions for product application and maintenance information.





For further information & product samples please contact Firth on 0800 800 576 or visit www.firth.co.nz

PRODUCTSPEC productspec.net masterspec

masterspec.co.nz

The appeal of concrete masonry is the natural characteristics and variation of aggregates featured within the mix. Similar to the features of real stone, our concrete bricks will vary from batch to batch, with natural variation in colours, tone, texture and other characteristics. So when choosing Firth concrete bricks, please expect colour hue variations, and regional differences due to locally sourced raw materials. It's all part of a beautifully natural product. We advise viewing a number of full sized sample bricks before making your final decision. Contact your local Firth office, they'll be happy to help, call **0800 FIRTH 1.** 

©Firth Industries 2022. All rights reserved. Content in this document is protected under the Copyright Act 1994. No material may be reproduced in whole or in part without the written consent of the copyright holder. Firth/Dricon supplies products on the assumption that they are always used in accordance with the product's instructions/specifications, good trade practice and any relevant New Zealand Standards.