

FIRTH Ready Mix Concrete, wet

Safety Data Sheet

1. Identification of Substance & Company

Product

Product name Other names Product code HSNO approval Approval description UN number Proper Shipping Name Packaging group Hazchem code	FIRTH Ready Mix Concrete, wet Rib Raft, Steelcrete, Nofines Concrete, Kerb Mix This SDS provides information on wet concrete. For information on dry and hardened concrete refer to FIRTH Ready Mix Concrete, dry NA HSR002544 Construction Products (Subsidiary Hazard) Group Standard 2020 NA NA	
Uses	NA Ready Mix Concrete	
Company Details		
Company Address	Firth Industries 810 Great South Road Penrose Auckland, 1060 New Zealand	PO Box 14534 Panmure Auckland, 1741 New Zealand
Telephone Website Emerger	+64-9- 583 2121 www.firth.co.nz	

2. Hazard Identification

Approval

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002544, Construction Products (Subsidiary Hazard) Group Standard 2020). The substance has been classified as hazardous according to the criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

GHS Classes

Skin irritation category 2 Eye damage category 1

Hazard Statements

H315 - Causes skin irritation. H318 - Causes serious eye damage.

Note: concrete is considered irritating to the skin under the classification system; however, there is a possibility of burns if wet concrete is left in contact with the skin for a prolonged time.



Other Classification

No other classification is known to apply.

Precautionary Statements

Prevention

- P102 Keep out of reach of children.
- P103 Read label before use.
- P264 Wash hands thoroughly after handling.
- P280 Wear protective gloves/eye protection/face protection.

Firth

FIRTH Ready Mix Concrete, wet

Safety Data Sheet

Response	P101 - If medical advice is needed, have product container or label at hand.
	P273 - Avoid release to the environment.
	P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
	P332+P313 - If skin irritation occurs: Get medical advice/ attention.
	P362 - Take off contaminated clothing and wash before re-use.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
	if present and easy to do. Continue rinsing.
	P310 - Immediately call a POISON CENTRE or doctor/physician.
Storage	No storage statement.
Disposal	P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.

3. Composition / Information on Ingredients

Component	CAS/ Identification	Conc (%)	
Cement	65997-15-1	10-70	
Flyash	68131-74-8	0-5	
Aggregates (may includes crystalline silica)	mixture	10-90	
Chemical additives	mixture	0-5	
Water	7732-18-5	30-50	

May contain one or more of the following ingredients:

Component	CAS/ Identification	Conc (%)
Metal Oxides	mixture	3-6
Limestone	1317-65-3	0-5
Calcium sulphate hemihydrate	26499-65-0	0-5
Hexavalent Chromium	1333-82-0	<0.01
Crystalline Silica	14808-60-7	0-5

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely. Note: classifications for ingredients are confirmed through EPA records where available. If unconfirmed, and based on hazardous property information, the classifications are indicated in italics.

4. First Aid

General Information

You should call the National Poisons Centre if you feel that you may have been harmed, burned or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

If medical advice is needed, have this SDS, product container or label at hand. If exposed or concerned: Get medical advice/ attention.		
Recommended first aid facilities	Ready access to running water is recommended. Accessible eyewash is recommended.	
Exposure		
Swallowed Eye contact	IF SWALLOWED: Do NOT induce vomiting. Rinse mouth. Contact a doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Apply continuous irrigation with water for at least 15 minutes holding eyelids apart. Immediately call a POISON CENTER or doctor.	
Skin contact	IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.	
Inhaled	IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. If patient is unconscious, place in the recovery position (on the side) for transport and contact a doctor. If experiencing respiratory symptoms: Immediately call a POISON CENTER or doctor/physician.	

Advice to Doctor

Treat symptomatically.





	5. Firefighting Measures
Fire and explosion	There are no specific risks for fire/explosion for this chemical. It is non-combustible.
hazards: Suitable extinguishing substances:	Not applicable.
Unsuitable extinguishing substances:	Unknown.
Products of combustion:	Product does not burn. Product will react exothermically with water. Contaminated water wil be strongly alkaline.
Protective equipment:	Product may decompose in a fire and produce toxic or corrosive fumes. Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat and eye protection.
Hazchem code:	NA
	6. Accidental Release Measures
Containment	If greater than 1000kg is stored, secondary containment is required. Emergency plans to manage any potential spills must be in place. Prevent spillage from spreading or entering soil, waterways or drains.
Emergency procedures	In the event of large spillage (>100kg) of the dry or wetted mixture alert the fire brigade to location and give brief description of hazard.
	Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain spill. Prevent by whatever means possible any spillage from entering drains, sewers, or water courses.
Clean-up method	Collect product avoiding any dust formation, and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.
Disposal	Mop up and collect recoverable material into labelled containers for recycling or salvage. Recycle containers wherever possible. This material may be suitable for approved landfill.
Precautions	Dispose of only in accord with all regulations. The dust may form irritating atmosphere. Contaminated water will be strongly alkaline. Do not allow contaminated water to enter the environment.
	Wear protective equipment to prevent skin and eye contamination and the inhalation of dust. Work up wind or increase ventilation.
	7. Storage & Handling
Storage	Avoid storage of harmful substances with food. Store out of reach of children. Containers should be kept closed in order to minimise contamination. Keep in a cool, dry place. Avoid contact with incompatible substances as listed in Section 10.
Handling	Keep exposure to a minimum, and minimise the quantities kept in work areas. Minimise dust generation and accummulation. See section 8 with regard to personal protective equipment requirements. Avoid skin and eye contact and inhalation of dust.
8	. Exposure Controls / Personal Protective Equipment

Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates (not otherwise classified) and 10mg/m³ for inhalable particulates (not otherwise classified) when limits have not otherwise been established.

NZ	Ingredient	WES-TWA	WES-STEL
Workplace Exposure	Cement	3mg/m ³ 1mg/m ³ (respirable)	no data
Stds	Limestone Calcium sulphate hemihydrate Chromium oxide Flyash Aggregates Crystalline Silica (all forms)	10mg/m ³ 10mg/m ³ 0.05mg/m ³ See crystalline silica See crystalline silica 0.025mg/m ³ (as respirable dust)	no data no data no data no data no data no data



FIRTH Ready Mix Concrete, wet Safety Data Sheet

Engineering Controls

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, wet-working control measures, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation. Exposure levels of crystalline silica should be measured and evaluated by an occupational hygienist.

Personal Protective Equipment

Eyes Protect eyee with goggles, safety glasses or full face mask. Avoid wearing contact lenses. Select eye protection in accordance with AS/NZS 1337. Skin Avoid repeated or prolonged skin contact. Protective gloves are recommended. Nitrile, PVC, Rubber or Neoprene gloves are recommended. Protective gloves should be checked for tears or holes before use. Protective clothing must comply with AS 2161. Replace frequently. Gloves should be checked for tears or holes before use. Protective clothing must comply with AS/NZS 2210.2 and selected and maintained in accordance with AS/NZS 2210.1. Tuck overalls inside boots and seal with duct tape to reduce risk of concrete entering boots. Remove protective clothing and wash exposed areas with soap and water prior to eating, drinking or smoking. Take special care to ensure that cuts/abrasions or irritated skin are not exposed to this product. It is also important to ensure that wet concrete does not become trapped within gloves, boots or clothing – leaving concrete in contact with the skin for extended period of time may cause skin burns. Respiratory It is important that skin is also covered when concrete dust is created (e.g., sanding, grinding, crushing or cutting concrete). The dust may also irritate and/or damage the skin. The product does not present an inhalation hazard when wet. However when dust is created a well fitted dust mask should be used (this is not recommended when exposure is close to the WES). Refer to SDS for FIRTH Ready Mix Concrete, dry. WES Additional Information 9. Physical & Chemical Properties	General	Personal Protective Equipment (PPE) should not be used as the primary means of exposure protection, except in the event of an accident or emergency situation or where all other means of protection have proven to inadequate. Clean PPE after use or dispose of as appropriate. Store PPE for re-use in a clean place. Regular training on the correct use of PPE should be provided. In particular the correct fitting and use of respirators and where applicable the cleaning of respirators should be undertaken.
 PVC, Rubber or Neoprene gloves are recommended. Protective gloves or suitably resistant material must comply with AS 2161. Replace frequently. Gloves should be checked for tears or holes before use. Protective clothing must comply with AS 2919, AS3765.1 or AS3765.2. PVC or rubber boots must comply with AS/NZS 2210.2 and selected and maintained in accordance with AS/NS2210.1. Tuck overalls inside boots and seal with duct tape to reduce risk of concrete entering boots. Remove protective clothing and wash exposed areas with soap and water prior to eating, drinking or smoking. Take special care to ensure that cuts/abrasions or irritated skin are not exposed to this product. It is also important to ensure that wet concrete does not become trapped within gloves, boots or clothing – leaving concrete in contact with the skin for extended period of time may cause skin burns. It is important that skin is also covered when concrete dust is created (e.g., sanding, grinding, crushing or cutting concrete). The dust may also irritate and/or damage the skin. The product does not present an inhalation hazard when wet. However when dust is created a well fitted dust mask should be used (this is not recommended when exposure is close to the WES). Refer to SDS for FIRTH Ready Mix Concrete, dry. 	Eyes	Protect eyes with goggles, safety glasses or full face mask. Avoid wearing contact
However when dust is created a well fitted dust mask should be used (this is not recommended when exposure is close to the WES). Refer to SDS for FIRTH Ready Mix Concrete, dry. WES Additional Information Not applicable.	Skin	 PVC, Rubber or Neoprene gloves are recommended. Protective gloves or suitably resistant material must comply with AS 2161. Replace frequently. Gloves should be checked for tears or holes before use. Protective clothing must comply with AS 2919, AS3765.1 or AS3765.2. PVC or rubber boots must comply with AS/NZS 2210.2 and selected and maintained in accordance with AS/NS2210.1. Tuck overalls inside boots and seal with duct tape to reduce risk of concrete entering boots. Remove protective clothing and wash exposed areas with soap and water prior to eating, drinking or smoking. Take special care to ensure that cuts/abrasions or irritated skin are not exposed to this product. It is also important to ensure that wet concrete does not become trapped within gloves, boots or clothing – leaving concrete in contact with the skin for extended period of time may cause skin burns. It is important that skin is also covered when concrete dust is created (e.g., sanding, grinding, crushing or cutting concrete). The dust may also irritate and/or damage the
Not applicable.	Respiratory	However when dust is created a well fitted dust mask should be used (this is not recommended when exposure is close to the WES). Refer to SDS for FIRTH Ready Mix
	WES Additional Information	
9. Physical & Chemical Properties	Not applicable.	
		9. Physical & Chemical Properties

Appearance Odour Odour Threshold pH Freezing/melting point Boiling Point Flashpoint Flashpoint Flammability Upper & lower flammable limits Vapour pressure Vapour density Specific gravity/density	Wetted concrete. bland no data >12 (wet concrete) no data no data no data no data no data no data no data no data no data
, ,	
Partition coefficient	no data



Auto-ignition temperature Decomposition temperature Viscosity Particle Characteristics	no data no data no data no data
	10. Stability & Reactivity
Stability	This product is unlikely to react or decompose under normal storage conditions. This product will not undergo polymerisation reactions. Keep dry until used.
Conditions to be avoided	Containers should be kept closed in order to avoid contamination.
Incompatible groups	Strong acids, ammonium salts, and aluminum metal.
Substance Specific Incompatibility	Concrete dissolves in hydrofluoric acid producing corrosive silicon tetrafluoride gas. Silicates react with powerful oxidizers such as fluorine, chlorine, trifluorides, and oxygen difluoride.
Hazardous decomposition	Does not readily decompose. Respirable dust particles may be generated when concrete
products	is sawed, drilled, sanded or grinded.
Hazardous reactions	Will not polymerise
	11. Toxicological Information

Summary

The following summary is for wetted concrete:

IF IN EYES: Contact with wet (unhardened) concrete, mortar, cement mixtures or concrete dust can cause effects ranging from irritation to serious eye damage/burns and blindness. The pH of the mixture is >12. Note: the level of irritation/damage is dependent on the quantity of the dust, the pH, and the length of time exposed. E.g., if dust is washed out of the eye immediately, effects will be minor. However, if dust or wet concrete is left in contact with the eye, serious damage/blindness could result.

IF ON SKIN: Contact with wet (unhardened) concrete, mortar, cement, or cement mixtures can cause skin irritation, severe chemical burns (third degree). Drying concrete is hygroscopic, i.e. absorbs water. It will draw water away from any material it contacts-including skin. This may cause irritation – particularly in hot conditions or when sweating. Brief exposure to the skin (i.e., washed off immediately) will result in irritation. However, if the concrete or dust is left on the skin for an extended time (e.g., if inside boots or absorbed through overalls), burns to the skin are possible. Thickening of the skin and/or rash is also possible.

IF SWALLOWED: Ingestion of this product may cause gastrointestinal irritation.

For toxicological information on the dry concrete or concrete dust, refer to the SDS "FIRTH Ready Mix Concrete, dry"

Supporting Data

	-	
Acute	Oral	The estimated LD ₅₀ (oral, rat) for the mixture is $> 5,000 \text{ mg/kg}$.
	Dermal	The estimated LD ₅₀ (dermal, rat) for the mixture is $> 5,000$ mg/kg.
	Inhaled	The wet concrete is not considered to be harmful if inhaled. The estimated LC50
		(inhalation, rat) for the mixture is >5 mg/L (dust mist).
	Evo	This mixture is considered to be an eye corrosive. pH >12
	Eye	7 I
	Skin	This mixture is considered to be a skin irritant.
	Sensitisation	There is evidence that chromium present in some cement mixtures may induce
		occupational asthma and skin sensitisation (allergic reactions). This mixture contains less
		than 0.01% hexavalent chromium and hence is not considered sensitising.
	Mutagenicity	No ingredient present at concentrations $> 0.1\%$ is considered a mutagen.
	Carcinogenicity	This mixture may contain crystalline silica. Crystalline silica inhaled in the form of quartz
	y,	or cristobalite from occupational sources is carcinogenic to humans (IARC Group 1). This
		mixture is wetted concrete and no respirable particles are present. Refer to SDS for dry
		concrete is dust or dry concrete is present.
	Denveduative /	
	Reproductive /	No data for mixture is available. No ingredient present at concentrations > 0.1% is
	Developmental	considered a reproductive or developmental toxicant or have any effects on or via
		lactation.
	Systemic	This mixture may contain crystalline silica. Crystalline silica triggers STOT RE cat 1
		classification if it is in the form of a fine respirable dust in an occupational (chronic
		exposure) setting. This mixture does not contain respirable particles (wetted). Refer to
		SDS for dry concrete is dust or dry concrete is present.
	Aggravation of	Persons with existing lung conditions may be at a higher risk of further adverse health
		0 0 , 0
	existing conditions	effects (as above). Smokers have an increased risk of lung cancer and silicosis.



FIRTH Ready Mix Concrete, wet

Safety Data Sheet

12. Ecological Data

Summary

Wet concrete is considered to be harmful in the environment when in a soluble form. This is primarily due to the high pH of the product.

Supporting Data	
Aquatic	No data for mixture is available. Using EC_{50} 's for ingredients, the estimated EC_{50} for the mixture is between 1 and 100 mg/L. This implies that concrete should be considered harmful in the aquatic environment. Water contaminated with this product is alkaline and should not be allowed to enter the environment.
Bioaccumulation	Not applicable
Degradability	Not applicable (predominantly natural products)
Soil	No data available for the mixture. The soil toxicity value for the mixture is estimated to be \geq 100 mg/kg.
Terrestrial vertebrate	This product is not considered harmful to terrestrial vertebrates. No LC_{50} (diet) data for ingredients are available and the classification is based on the LD_{50} (oral) – see section 11 – oral toxicity.
Terrestrial invertebrate Biocidal	The mixture is not considered harmful to terrestrial invertebrates. Not designed as a biocide.
	13. Disposal Considerations
Restrictions	There are no product-specific restrictions, however, local council and resource consent conditions may apply, including requirements of trade waste consents.
Disposal method	Disposal of this product must comply with the Hazardous Substances (Disposal) Notice 2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore rendered non-hazardous before discharge to the environment.
Contaminated packaging	Disposal of contaminated packaging must comply with the Hazardous Substances (Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible

14. Transport Information

		•		
Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007 There are no specific restrictions for this product (not a dangerous good).				
UN number:	NA	Proper shipping name:	NA	
Class(es)	NA	Packing group:	NA	
Precautions:	NA	Hazchem code:	NA	
IMDG				
UN number:	NA	Proper shipping name:	Not regulated	
Class(es)	NA	Packing group:	NA	
Precautions:	NA	EmS	NA	
ΙΑΤΑ				
UN number:	NA	Proper shipping name:	Not regulated	
Class(es)	NA	Packing group:	NA	
Precautions:	NA	ERG Guide	NA	
11000000000				

reuse or recycle packaging.



FIRTH Ready Mix Concrete, wet Safety Data Sheet

15. Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002544: Construction Products (Subsidiary Hazard) Group Standard 2020. All ingredients appear on the NZIoC.

Specific Controls

Note: the controls apply to the wet product, and to the dust of hardened concrete.

SDS	To be available within 10 minutes in workplaces storing any quantity.
Inventory	An inventory of all hazardous substances must be prepared and maintained.
Packaging	All hazardous substances should be appropriately packaged including substances that have been decanted, transferred or manufactured for own use or have been supplied
Labelling	Must comply with the Hazardous Substances (Labelling) Notice 2017.
Emergency plan	Required if > 1000kg is stored.
Certified handler	Not required.
Tracking	Not required.
Bunding & secondary containment	Required if > 1000kg is stored.
Signage	Required if > 1000kg is stored.
Location compliance certificate	Not required.
Flammable zone	Not required.
Fire extinguisher	Not required.
Note: The above workplace requirem	ents apply if only this particular substance is present. The complete set of controls for

a location will depend on the classification and total quantities of other substances present in that location.

Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

16. Other Information

Abbreviations	
Approval Code CAS Number	Approval Construction Products (Subsidiary Hazard) Group Standard 2020, Controls, EPA. www.epa.govt.nz Unique Chemical Abstracts Service Registry Number
EC ₅₀	Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test population (e.g. daphnia, fish species)
EPA	Environmental Protection Authority (New Zealand)
GHS	Globally Harmonised System of Classification and Labelling of Chemicals, 7 th revised edition, 2017, published by the United Nations.
HAZCHEM Code	Emergency action code of numbers and letters that provide information to emergency services, especially fire fighters
HSNO	Hazardous Substances and New Organisms (Act and Regulations)
IARC	International Agency for Research on Cancer
LEL	Lower Explosive Limit
LD ₅₀	Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).
LC₅0	Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population (usually rats)
NZIoC	New Zealand Inventory of Chemicals
STEL	Short Term Exposure Limit - The maximum airborne concentration of a chemical or biological agent to which a worker may be exposed in any 15 minute period, provided the TWA is not exceeded
STOT RE	System Target Organ Toxicity – Repeated Exposure
STOT SE	System Target Organ Toxicity – Single Exposure
TWA	Time Weighted Average – generally referred to WES averaged over typical work day (usually 8 hours)
UEL	Upper Explosive Limit
UN Number	United Nations Number
WES	Workplace Exposure Standard - The airborne concentration of a biological or chemical agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring using procedures that gather air samples in the worker's breathing zone.



FIRTH Ready Mix Concrete, wet

Safety Data Sheet

References		
Data	Unless otherwise stated comes from the EPA HSNO chemical classification information database (CCID).	
Controls	EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances) Regulations 2017, www.legislation.govt.nz	
WES	The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available on their web site – www.worksafe.govt.nz.	
Other References:	Ingredients SDS's.	
Review		
Date December 2011 December 2016 December 2021 July 2023 August 2024	Reason for Review NA - new SDS Update, DOL to WorkSafe, HSE to HSAW, formatting, update of section 11 5 yearly update, HSNO to GHS, WES update, group standard. update WES update	

Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely GHS 7 classifications, are based on our experience, EPA Guidelines and international classifications. A compliance record is available on request. This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 21 104 0951.

